

JUN 28 2010

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

PATENT

IN THE CLAIMS:

1. (currently amended) A chemical compound of the general formula



wherein

X_1 is a leaving group,

R_2 is a cycloalkyl having from 3 to 16 carbon atoms, an aryl having from 5 to 18 carbon atoms or a polycyclic alkyl group having from 7 to 16 carbon atoms,

and

R_1 is a substituent of R_2 selected from alkyl groups having from 1 to 4 carbon atoms, alkenyl groups having from 2 to 5 carbon atoms, alkynyl groups having from 2 to 5 carbon atoms, and aromatic groups having 5 or 6 carbon atoms, each of said groups being optionally substituted, and Cl and F, with the proviso that the compound is not 4-fluorobenzyl trichlorosilane.

2 - 9. (canceled)

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

PATENT

10. (currently amended) A poly(organo siloxane) compound comprising a repeating Si-O backbone, carbon chain cross-linking groups and -R₁-R₂ bound to from 5 % to 50 % of the silicon atoms in the Si-O backbone, wherein R₂ is an aromatic group having 6 carbon atoms and R₁ is a substituent at position 4 of R₂, or R₁-R₂ is selected from the group consisting of pentafluorophenylmethyl, 4-trifluoromethyltetrafluorophenylmethyl and pentafluorophenylethyl.

11 - 28. (canceled)

29. (currently amended) A poly(organo siloxane) compound comprising a repeating Si-O backbone, -R₁-R₂ bound to from 25% to 50% of the silicon atoms in the Si-O backbone, wherein R₂ is an aromatic group having 6 carbon atoms and R₁ is a substituent at position 4 of R₂, or R₁-R₂ is selected from the group consisting of pentafluorophenylmethyl, 4-trifluoromethyltetrafluorophenylmethyl and pentafluorophenylethyl, and R₃ is bound to from 5% to 50% of the silicon atoms, wherein R₃ is an alkenyl group having from 2 to 5 carbon atoms, acrylic group or epoxy group.

30 - 40. (canceled)

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

PATENT

41. (original) An integrated circuit having a layer with areas of an electrically conductive first material and an electrically insulating second material, wherein the second material is a poly(organo siloxane) compound comprising a repeating Si-O backbone, carbon chain crosslinking groups and -R₁-R₂ bound to from 5% to 50% of the silicon atoms in the Si-O backbone, wherein R₂ is an aromatic group having 6 carbon atoms and R₁ is a substituent at position 4 of R₂.

42 ~ 56. (canceled)

57. (original) A method of making a chemical compound of the formula R₁-R₂-Si-(X₂)₃, wherein X₂ is a halogen, R₂ is an aromatic group having 5 to 18 carbon atoms, a cycloalkyl having from 3 to 16 carbon atoms, or a polycyclic alkyl group having from 7 to 16 carbon atoms, and R₁ is a substituent, in particular at position 4 of R₂, R₁ being selected from the group consisting of alkyl groups having from 1 to 4 carbon atoms, alkenyl groups having from 2 to 5 carbon atoms, and OH groups, comprising:

- reacting a compound of the formula R₁-R₂-Br, wherein R₁ and R₂ have the same meaning as above, with Mg and with a compound of the formula Si-(OR₃)₄, wherein R₃ is an

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

PATENT

alkoxy group having from 1 to 3 carbon atoms, to form a compound of the formula $R_1-R_2-Si-(OR_3)_3$, wherein R_1 , R_2 and R_3 have the same meaning as above;

- reacting the thus obtained compound of the formula $R_1-R_2-Si-(OR_3)_3$, with a halogenating agent capable of replacing, preferably each, R_3 with a halogen substantially without affecting the rest of the compound of formula $R_1-R_2-Si-(OR_3)_3$, to produce a compound of the formula $R_1-R_2-SiX_2$, wherein R_1 , R_2 and X_2 have the same meaning as above, and
- recovering the thus obtained compound.

58. (canceled)

59. (original) A chemical compound of the formula $R_1-R_2-Si-(X_1)_3$, wherein X_1 is a halogen, acyloxy, alkoxy or OH group, R_2 is an organic polycyclic or bridged ring structure with Si bound to carbon position 1, and R_1 is a substituent at position 3 or higher of R_2 selected from an alkyl group having from 1 or more carbons atoms, an alkenyl, an alkynyl, an acrylate, an aryl, an alcohol, OH, H, D, Cl or F.

60 - 67. (canceled)

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT**PATENT**

68. (original) A poly(organo siloxane) compound comprising a repeating Si-O backbone, carbon chain crosslinking groups and -R1-R2 bound to from 5% to 50% of the silicon atoms in the Si-O backbone, wherein R2 is polycyclic or bridged ring structure and R1 is a substituent at position 4 of R2 selected from an alkyl chain having from 1 to 4 carbons, H, D, F or OH.

69 - 84. (canceled)

85. (original) A poly(organo siloxane) compound comprising a repeating Si-O backbone, -R1-R2 bound to from 25% to 50% of the silicon atoms in the Si-O backbone, wherein R2 is a polycyclic or bridged ring structure and R1 is a substituent at position 4 of R2 selected from H, D, F, OH, an alkyl group having from 1 to 4 carbon atoms, and an alkenyl group having from 2 to 5 carbon atoms, and further comprising R3 bound to from 5% to 50% of the silicon atoms, wherein R3 is an alkenyl group having from 2 to 5 carbon atoms, acrylic group, aryl group or epoxy group.

86 - 98. (canceled)

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

PATENT

99. (original) An integrated circuit having a layer with areas of an electrically conductive first material and an electrically insulating second material, wherein the second material is a poly(organo siloxane) compound comprising a repeating Si-O backbone, carbon chain crosslinking groups and -R1-R2 bound to from 5% to 50% of the silicon atoms in the Si-O backbone, wherein R2 is a polycyclic or bridged ring structure and R1 is a substituent at position 4 of R2 selected from H, D, F, OH, an alkyl group having from 1 to 4 carbon atoms, and an alkenyl group having from 2 to 5 carbon atoms.

100 - 107. (canceled)

108. (original) A chemical compound of the formula R1-R2-Si-(X1)3, wherein X1 is a halogen, acyloxy, alkoxy or OH group, R2 is an aromatic group having 8 carbon atoms and R1 is a substituent at position 5 of R2 selected from an alkyl group having from 1 to 4 carbon atoms, an alkenyl group having from 2 to 5 carbon atoms, an alkynyl group having from 2 to 5 carbon atoms, Cl or F.

109 - 112. (canceled)

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT**PATENT**

113. (original) A poly(organo siloxane) compound comprising a repeating Si-O backbone, carbon chain crosslinking groups and -R1-R2 bound to from 5% to 50% of the silicon atoms in the Si-O backbone, wherein R2 is an aromatic group having 8 carbon atoms and R1 is a substituent at position 5 of R2.

114 - 121. (canceled)

122. (currently amended) A poly(organo siloxane) compound comprising a repeating Si-O backbone, -R1-R2 bound to from 25% to 50% of the silicon atoms in the Si-O backbone, wherein R2 is an aromatic group having 8 carbon atoms and R1 is a substituent at position 5 of R2 ~~(again this could be drawn out for clarity)~~, and R3 bound to from 5% to 50% of the silicon atoms, wherein R3 is an alkenyl group having from 2 to 5 carbon atoms, acrylic group or epoxy group.

123 - 126. (canceled)

127. (original) An integrated circuit having a layer with areas of an electrically conductive first material and an electrically insulating second material, wherein the second

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

PATENT

material is a poly(organo siloxane) compound comprising a repeating Si-O backbone, carbon chain crosslinking groups and -R1-R2 bound to from 5% to 50% of the silicon atoms in the Si-O backbone, wherein R2 is an aromatic group having 8 carbon atoms and R1 is a substituent at position 5 of R2.

128 - 133. (canceled)

134. (original) A chemical compound of the formula R1-R2-Si-(X1)3, wherein X1 is a halogen, acyloxy, alkoxy or OH group, R2 is an aromatic group having 10 carbon atoms and R1 is a substituent at position 6 of R2 selected from an alkyl group having from 1 to 4 carbon atoms, an alkenyl group having from 2 to 5 carbon atoms, an alkynyl group having from 2 to 5 carbon atoms, Cl or F.

135 - 138. (canceled)

139. (original) A poly(organo siloxane) compound comprising a repeating Si-O backbone, carbon chain crosslinking groups and -R1-R2 bound to from 5% to 50% of the silicon atoms in the Si-O backbone, wherein R2 is an aromatic group having 10 carbon atoms and R1 is a substituent at position 6 of R2.

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

PATENT

140 - 147. (canceled)

148. (original) A poly(organo siloxane) compound comprising a repeating Si-O backbone, -R1-R2 bound to from 25% to 50% of the silicon atoms in the Si-O backbone, wherein R2 is an aromatic group having 10 carbon atoms and R1 is a substituent at position 6 of R2, and R3 bound to from 5% to 50% of the silicon atoms, wherein R3 is an alkenyl group having from 2 to 5 carbon atoms, acrylic group or epoxy group.

149 - 152. (canceled)

153. (original) An integrated circuit having a layer with areas of an electrically conductive first material and an electrically insulating second material, wherein the second material is a poly(organo siloxane) compound comprising a repeating Si-O backbone, carbon chain crosslinking groups and -R1-R2 bound to from 5% to 50% of the silicon atoms in the Si-O backbone, wherein R2 is an aromatic group having 10 carbon atoms and R1 is a substituent at position 6 of R2.

154 - 159. (canceled)

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT**PATENT**

160. (original) A method for making a chemical compound of the formula R1-R2-Si-(X1)3, wherein X1 is a halogen or alkoxy group, R2 is an aromatic group having 10 carbon atoms and R1 is a substituent at position 6 of R2, R1 being selected from an alkyl group having from 1 to 4 carbon atoms, an alkenyl group having from 2 to 5 carbon atoms, or OH, comprising:

reacting R1-R2-Br with Mg and Si-(OR3)4 to form R1-R2-Si-(OR3)3 + BrMgOR, where R1 is selected from an alkyl group having from 1 to 4 carbon atoms, an alkenyl having from 2 to 5 carbon atoms, R2 is an aromatic or non-aromatic ring structure having from 5 to 7 carbon atoms, and R3 is an alkoxy group having from 1 to 3 carbon atoms;

reacting R1-R2-Si-(OR3)3 with 3 SO2Cl2 in the presence of C5H5N-HCl to yield R1-R2-SiCl3 + 3 SO2 + 3EtCl.

161 - 163. (canceled)

164. (original) A thin film comprising a composition obtained by hydrolyzing

- a monomeric silicon compound having at least one hydrocarbyl radical, containing an unsaturated carbon-to-

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

PATENT

carbon bond, and at least one hydrolyzable group attached to the silicon atom of the compound with

- another monomeric silicon compound having at least one aryl group and at least one hydrolyzable group attached to the silicon atom of the compound

to form a siloxane material.

165 - 166. (canceled)

167. (new) A chemical compound selected from the group consisting of:

3,5,7-trifluoroadamantyl trichlorosilane,
3,5,7-trifluoromethyladamantyl trichlorosilane,
5-trifluoromethylcycloocta-1,3,7,7-tetraene trichlorosilane,
pentafluorophenylmethyl trichlorosilane,
4-trifluoromethyl-2,3,5,6-tetrafluorophenylmethyl trichlorosilane,
pentafluoronorbornyl trichlorosilane,
3-trifluoromethyl-4-(methyl)phenyl trichlorosilane,
pentafluorophenylethyl trichlorosilane,
norbornyl trichlorosilane,
3,4,5-trimethylphenyl trichlorosilane,
adamantyl trichlorosilane,

PATENT APPLN. NO. 10/552,737
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

PATENT

adamantylphenyl trichlorosilane,
3,5-bis(trifluoromethyl)phenyl trichlorosilane, and
4-(trifluoromethyl)phenyl trichlorosilane.